

View Online at <https://aerobasegroup.com/nsn/5950-01-324-4308>

Reliability Indicator:

Not established

Frequency Rating:

100.0 kilohertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

Between 0.580 inches and 0.600 inches

Body Width:

Between 0.565 inches and 0.585 inches

Body Height:

Between 0.665 inches and 0.685 inches

Maximum Operating Temp:

125.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Method:

Clamp single group and yoke single group

Winding Function And Quantity:

1 primary single component and 2 secondary single component

Winding Operating Current:

200.0 milliamperes ac single component single primary

Winding Power Rating:

2.8 volts-amperes single component single primary

Winding Operating Voltage:

14.00 ac volts single component single primary

Precious Material And Location:

Mounting silver

Precious Material:

Silver

Test Data Document:

16340-11-00004 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Terminal Type And Quantity:

6 pin

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0