

View Online at <https://aerobasegroup.com/nsn/5950-01-324-4310>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.073 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.354 inches single mounting facility single center group

Overall Height:

1.476 inches

Frequency Rating:

100.0 kilohertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Maximum Transformer Power Rating:

50.0 watts single component

Body Length:

1.165 inches

Body Width:

1.154 inches

Maximum Operating Temp:

120.0 degrees celsius

Mounting Tab Width:

0.012 inches

Inclosure Type:

Fully enclosed

Mounting Method:

Tab single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Winding Operating Current:

500.0 milliamperes dc single component 3rd secondary

Winding Operating Voltage:

65.00 ac pounds per hour wet single component 1st secondary

Test Data Document:

16340-11-00034 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Terminal Type And Quantity:

12 pin

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0