NSN 5950-01-324-7483

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-324-7483

| Reliability Indicator: |
|---|
| Not established |
| Overall Length: |
| 1.780 inches |
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 1.365 inches single mounting facility single center group and 1.385 inches single mounting facility single center group |
| Center To Center Distance Between Mounting Facilities Parallel To Width: |
| 0.865 inches single mounting facility single center group and 0.885 inches single mounting facility single center group |
| Overall Height: |
| 1.250 inches |
| Overall Width: |
| 1.280 inches |
| Mounting Hole Diameter: |
| 0.146 inches single group and 0.166 inches single group |
| Inductance Rating: |
| 3.50 microhenries single component single winding |
| Frequency Rating: |
| 20.0 kilohertz single component |
| Maximum Operating Temp: |
| 130.0 degrees celsius |
| Winding Quantity: |
| 1 single component |
| Inclosure Type: |
| Fully enclosed |
| Mounting Facility Quantity: |
| 4 single group |
| Mounting Method: |
| Unthreaded hole single group |
| Rating Method: |
| Electrical single component single winding |
| Winding Operating Current: |
| 105.0 amperes dc single component single winding |
| Dc Resistance Rating In Ohms: |
| 0.0005 single component single winding |
| Terminal Type And Quantity: |
| 2 threaded hole |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |

NSN 5950-01-324-7483

Reactor - Page 2 of 2



Fiig:

A058b0