

View Online at <https://aerobasegroup.com/nsn/5950-01-325-1414>

Reliability Indicator:

Not established

Overall Length:

Between 1.530 inches and 1.570 inches

Overall Width:

Between 1.080 inches and 1.120 inches

Frequency Rating:

114.0 kilohertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Height:

Between 0.650 inches and 0.690 inches

Maximum Operating Temp:

85.0 degrees celsius

Distance Between Mounting Facility Centers:

1.073 inches single mounting facility single center group and 1.093 inches single mounting facility single center group

Mounting Tab Width:

Between 0.007 inches and 0.027 inches

Inclosure Type:

Fully enclosed

Mounting Method:

Tab single group

Winding Function And Quantity:

1 primary single component and 3 secondary single component

Winding Operating Current:

670.0 milliamperes ac single component single primary

Winding Power Rating:

13.3 volts-amperes single component 1st secondary

Winding Operating Voltage:

55.42 ac volts single component 1st secondary

Test Data Document:

16340-11-00094 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Terminal Type And Quantity:

9 pin

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0