# NSN 5950-01-325-7780

Reactor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-01-325-7780 **Reliability Indicator:** Not established **Hazardous Locations/environmental Protection:** Fungus resistant and salt spray resistant and vibration resistant **Inductance Type:** Fixed **Inductance Rating:** 16.00 microhenries single component single winding and 24.00 microhenries single component single winding Frequency Rating: 15.75 kilohertz single component **Body Length:** Between 0.180 inches and 0.220 inches **Overall Diameter:** 0.230 inches **Maximum Operating Temp:** 130.0 degrees celsius **Winding Quantity:** 1 single component **Inclosure Type:** Fully enclosed

## **Mounting Method:**

Terminal single group

**Rating Method:** 

Electrical single component single winding

### **Winding Operating Current:**

100.0 milliamperes dc single component single winding

#### Dc Resistance Rating In Ohms:

0.020 single component single winding

#### **Test Data Document:**

80063-sm-a-939635 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

### **Terminal Type And Quantity:**

2 wire lead

Shelf Life:

N/a

**Unit Of Measure:** 

**Demilitarization:** 

No

Fiig:

A058b0