## NSN 5950-01-326-4301

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-326-4301

Reliability Indicator:

Not established

4.500 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.500 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:** 

2.000 inches single mounting facility single center group

**Overall Height:** 

**Overall Length:** 

2.578 inches

**Overall Width:** 

3.031 inches

**Mounting Slot Width:** 

0.203 inches single group

Frequency Rating:

50.0 hertz single component or 60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

**Maximum Transformer Power Rating:** 

50.0 volt-ampere single component

**Inclosure Type:** 

Fully enclosed

**Mounting Facility Quantity:** 

4 single group

**Mounting Method:** 

Slot single group

**Winding Function And Quantity:** 

2 primary single component and 1 secondary single component

**Features Provided:** 

W/overload protection

**Winding Operating Current:** 

416.6 milliamperes ac single component single secondary

**Winding Operating Voltage:** 

240.00 ac pounds per hour wet single component all primary

Terminal Type And Quantity:

6 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

## NSN 5950-01-326-4301

Power Transformer - Page 2 of 2



Fiig:

A058b0