NSN 5950-01-326-7665

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-326-7665

Reliability Indicator:
Not established
Overall Length:
3.000 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
2.485 inches single mounting facility single center group and 2.515 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.735 inches single mounting facility single center group and 1.765 inches single mounting facility single center group
Overall Height:
3.290 inches
Overall Width:
2.250 inches
Inductance Type:
Fixed
Inductance Rating:
2.70 microhenries single component single winding
Frequency Rating:
1.0 kilohertz single component
Maximum Operating Temp:
100.0 degrees celsius
Winding Quantity:
1 single component
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded hole single group
Rating Method:
Electrical single component single winding
Thread Size:
0.164 inches single group
Winding Operating Current:
2000.0 amperes dc single component single winding
Dc Resistance Rating In Ohms:
0.0035 single component single winding
Test Data Document:
53711-5859651 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.
excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Thread Series Designator:
Unc single group
Terminal Type And Quantity:

2 threaded stud

NSN 5950-01-326-7665

Reactor - Page 2 of 2



-					
•	he	1+	18	Δ	•

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0