

View Online at <https://aerobasegroup.com/nsn/5950-01-328-5861>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.720 inches single mounting facility single center group and 3.780 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

3.220 inches single mounting facility single center group and 3.280 inches single mounting facility single center group

Mounting Slot Width:

0.219 inches single group

Frequency Rating:

50.0 hertz single component or 60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Winding Shielding Method:

Internal shield grounded to core and mounting single component

Body Length:

4.500 inches

Body Width:

4.500 inches

Body Height:

3.750 inches

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Slot single group

Winding Function And Quantity:

1 primary single component and 2 secondary single component

Features Provided:

W/rectifier

Winding Operating Current:

5.0 amperes dc single component 2nd secondary

Winding Operating Voltage:

31.00 dc volts single component 1st secondary

Terminal Type And Quantity:

6 wire lead

Specification Data:

03538-77c722978 manufacturers specification control

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0