NSN 5950-01-330-7678

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-330-7678

view offilite at https://defobasegroup.com/hish/0330-01-030-7070
Reliability Indicator:
Not established
Turn Quantity:
36 single component all winding
Inductance Type:
Swinging
Inductance Rating:
60.00 microhenries single component all winding and 90.00 microhenries single component all winding
Frequency Rating:
15.75 kilohertz single component
Body Length:
0.930 inches
Overall Diameter:
1.150 inches
Maximum Operating Temp:
130.0 degrees celsius
Winding Quantity:
2 single component
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
1 single group
Mounting Method:
Threaded hole single group
Rating Method:
Electrical single component all winding
Thread Size:
0.138 inches single group
Winding Conductor Size:
0.04030 inches american wire gage single component all winding
Winding Operating Current:
6.1 amperes dc single component all winding
Dc Resistance Rating In Ohms:
0.027 single component all winding
Test Data Document:
07187-8509715 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.;
excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Thread Series Designator:
Unc single group
Terminal Type And Quantity:
4 pin
Shelf Life:
N/a

NSN 5950-01-330-7678

Reactor - Page 2 of 2



	Of			

--

Demilitarization:

No

Fiig:

A058b0