NSN 5950-01-330-9156

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-330-9156

Rε	lia	bili	ty	Ind	icate	or:

Not established

Hazardous Locations/environmental Protection:

Moisture resistant and vibration resistant

Overall Length:

1.250 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

0.970 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.430 inches single mounting facility single center group

Overall Height:

1.600 inches

Overall Width:

0.696 inches

Inductance Type:

Fixed

Inductance Rating:

9.00 microhenries single component single winding

Frequency Rating:

16.0 kilohertz single component

Maximum Operating Temp:

130.0 degrees celsius

Winding Quantity:

1 single component

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Rating Method:

Electrical single component single winding

Thread Size:

0.112 inches single group

Winding Operating Current:

12.0 amperes dc single component single winding

Dc Resistance Rating In Ohms:

0.005 single component single winding

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

2 turret

NSN 5950-01-330-9156

Reactor - Page 2 of 2



_					
٠.	n	_	I+	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0