## NSN 5950-01-330-9156

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-330-9156

Rε	lia	ıbil	ity	Ind	icato	r:

Not established

#### **Hazardous Locations/environmental Protection:**

Moisture resistant and vibration resistant

**Overall Length:** 

1.250 inches

#### **Center To Center Distance Between Mounting Facilities Parallel To Length:**

0.970 inches single mounting facility single center group

## **Center To Center Distance Between Mounting Facilities Parallel To Width:**

0.430 inches single mounting facility single center group

**Overall Height:** 

1.600 inches

**Overall Width:** 

0.696 inches

**Inductance Type:** 

Fixed

## **Inductance Rating:**

9.00 microhenries single component single winding

## Frequency Rating:

16.0 kilohertz single component

## **Maximum Operating Temp:**

130.0 degrees celsius

#### Winding Quantity:

1 single component

## **Inclosure Type:**

Fully enclosed

## **Mounting Facility Quantity:**

4 single group

#### **Mounting Method:**

Threaded hole single group

## Rating Method:

Electrical single component single winding

## Thread Size:

0.112 inches single group

## **Winding Operating Current:**

12.0 amperes dc single component single winding

## Dc Resistance Rating In Ohms:

0.005 single component single winding

## **Thread Series Designator:**

Unc single group

## **Terminal Type And Quantity:**

2 turret

# NSN 5950-01-330-9156

Reactor - Page 2 of 2



_					
٠.	n	_	I+	18	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A058b0