

View Online at <https://aerobasegroup.com/nsn/5950-01-331-2835>

Reliability Indicator:

Not established

Hazardous Locations/environmental Protection:

Humidity resistant and vibration resistant

Overall Length:

0.708 inches

Turn Quantity:

16 single component single primary

Mounting Hole Diameter:

0.116 inches single group

Inductance Rating:

717.00 microhenries single component single primary

Frequency Rating:

120.0 kilohertz single component

Coil Form Type:

Solid single component

Overall Diameter:

0.630 inches

Maximum Operating Temp:

100.0 degrees celsius

Inclosure Type:

Open

Mounting Facility Quantity:

1 single group

Mounting Method:

Terminal single group and unthreaded hole single group

Rating Method:

Winding turns single component all secondary

Winding Function And Quantity:

1 primary single component and 2 secondary single component

Winding Conductor Size:

0.01264 inches american wire gage single component single primary

Test Data Document:

27963-13211554 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Terminal Type And Quantity:

6 pin

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0