# NSN 5950-01-331-3161

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-331-3161

#### **Reliability Indicator:**

Not established

## **Overall Length:**

3.100 inches

## Center To Center Distance Between Mounting Facilities Parallel To Length:

2.590 inches single mounting facility single center group and 2.610 inches single mounting facility single center group

### Center To Center Distance Between Mounting Facilities Parallel To Width:

1.990 inches single mounting facility single center group and 2.010 inches single mounting facility single center group

#### **Overall Height:**

2.020 inches

#### **Overall Width:**

2.500 inches

#### Inductance Type:

Fixed

#### **Inductance Rating:**

2.25 millihenries single component single winding

#### **Frequency Rating:**

16.0 kilohertz single component

#### Maximum Operating Temp:

130.0 degrees celsius

## Winding Quantity:

1 single component

## Inclosure Type:

Fully enclosed

#### **Mounting Facility Quantity:**

4 single group

#### Mounting Method:

Threaded hole single group

#### **Rating Method:**

Electrical single component single winding

#### Thread Size:

0.138 inches single group

## Winding Operating Current:

7.0 amperes dc single component single winding

## Dc Resistance Rating In Ohms:

0.090 single component single winding

## **Test Data Document:**

13973-841280 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

## Thread Series Designator:

Unc single group

## Terminal Type And Quantity:

2 turret

# NSN 5950-01-331-3161

Reactor - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A058b0

