

View Online at <https://aerobasegroup.com/nsn/5950-01-331-3163>

Reliability Indicator:

Not established

Hazardous Locations/environmental Protection:

Vibration resistant

Overall Length:

0.933 inches

Turn Quantity:

12 single component 3rd secondary

Mounting Hole Diameter:

0.116 inches single group

Inductance Rating:

837.00 microhenries single component single primary

Frequency Rating:

120.0 kilohertz single component

Body Outside Diameter:

0.929 inches

Maximum Operating Temp:

130.0 degrees celsius

Inclosure Type:

Open

Mounting Facility Quantity:

1 single group

Mounting Method:

Terminal single group and unthreaded hole single group

Rating Method:

Electrical single component single primary and winding turns single component single primary

Winding Function And Quantity:

1 primary single component and 3 secondary single component

Winding Conductor Size:

0.01594 inches american wire gage single component 3rd secondary

Test Data Document:

27963-13211555 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Terminal Type And Quantity:

8 pin

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0