

View Online at <https://aerobasegroup.com/nsn/5950-01-331-3167>

**Reliability Indicator:**

Not established

**Overall Length:**

9.200 inches

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

7.885 inches single mounting facility single center group and 7.915 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

6.185 inches single mounting facility single center group and 6.215 inches single mounting facility single center group

**Overall Height:**

4.700 inches

**Frequency Rating:**

45.0 hertz single component and 66.0 hertz single component

**Input-output Phase Relationship:**

Three phase to three phase single component

**Transformer Winding Connection Type:**

Wye-delta

**Winding Shielding Method:**

Internal shield brought out to terminal single component

**Body Width:**

7.500 inches

**Maximum Operating Temp:**

130.0 degrees celsius

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Quantity:**

6 single group

**Mounting Method:**

Threaded hole single group

**Winding Function And Quantity:**

1 primary single component and 1 secondary single component

**Thread Size:**

0.312 inches single group

**Winding Operating Current:**

24.0 amperes ac single component single secondary

**Winding Power Rating:**

78.0 volts-amperes single component single primary

**Winding Operating Voltage:**

21.18 ac volts single component single secondary

**Test Data Document:**

13973-841330 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

**Thread Series Designator:**

Unc single group

**Terminal Type And Quantity:**

8 threaded stud

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0