

View Online at <https://aerobasegroup.com/nsn/5950-01-331-3914>

**Reliability Indicator:**

Not established

**Hazardous Locations/environmental Protection:**

Moisture resistant and vibration resistant

**Overall Length:**

1.500 inches

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

1.140 inches single mounting facility single center group and 1.160 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

0.890 inches single mounting facility single center group and 0.910 inches single mounting facility single center group

**Overall Height:**

1.250 inches

**Overall Width:**

1.420 inches

**Inductance Rating:**

10.00 microhenries single component single winding and 20.00 microhenries single component single winding

**Coil Form Type:**

Solid single component

**Inclosure Type:**

Fully enclosed

**Mounting Facility Quantity:**

4 single group

**Mounting Method:**

Threaded hole single group

**Rating Method:**

Electrical single component single winding

**Thread Size:**

0.112 inches single group

**Winding Operating Current:**

4.0 amperes dc single component single winding and 47.0 amperes dc single component single winding

**Dc Resistance Rating In Ohms:**

0.002 single component single winding

**Test Data Document:**

13973-841302 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

**Thread Series Designator:**

Unc single group

**Terminal Type And Quantity:**

2 tab, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A058b0