

View Online at <https://aerobasegroup.com/nsn/5950-01-331-3914>

Reliability Indicator:

Not established

Hazardous Locations/environmental Protection:

Moisture resistant and vibration resistant

Overall Length:

1.500 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.140 inches single mounting facility single center group and 1.160 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.890 inches single mounting facility single center group and 0.910 inches single mounting facility single center group

Overall Height:

1.250 inches

Overall Width:

1.420 inches

Inductance Rating:

10.00 microhenries single component single winding and 20.00 microhenries single component single winding

Coil Form Type:

Solid single component

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Rating Method:

Electrical single component single winding

Thread Size:

0.112 inches single group

Winding Operating Current:

4.0 amperes dc single component single winding and 47.0 amperes dc single component single winding

Dc Resistance Rating In Ohms:

0.002 single component single winding

Test Data Document:

13973-841302 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

2 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A058b0