

View Online at <https://aerobasegroup.com/nsn/5950-01-331-4084>

**Reliability Indicator:**

Not established

**Hazardous Locations/environmental Protection:**

Vibration resistant

**Overall Length:**

0.520 inches

**Turn Quantity:**

200 single component single secondary

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

0.400 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

0.400 inches single mounting facility single center group

**Overall Width:**

0.520 inches

**Inductance Rating:**

180.00 millihenries single component single primary and 360.00 millihenries single component single primary

**Frequency Rating:**

65.0 kilohertz single component and 105.0 kilohertz single component

**Coil Form Type:**

Solid single component

**Body Height:**

0.375 inches

**Maximum Operating Temp:**

125.0 degrees celsius

**Inclosure Type:**

Fully enclosed

**Mounting Method:**

Terminal single group

**Rating Method:**

Electrical single component single primary and winding turns single component single primary

**Winding Function And Quantity:**

1 primary single component and 1 secondary single component

**Winding Conductor Size:**

0.00315 inches american wire gage single component single secondary

**Test Data Document:**

13499-646-3137 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

**Terminal Type And Quantity:**

4 pin

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A058b0