NSN 5950-01-331-7004

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-331-7004

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

0.990 inches single mounting facility single center group and 1.010 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.590 inches single mounting facility single center group and 0.610 inches single mounting facility single center group

Inductance Rating:

100.00 microhenries single component all winding

Frequency Rating:

15.75 kilohertz single component

Body Length:

Between 1.240 inches and 1.300 inches

Body Width:

Between 0.940 inches and 1.000 inches

Body Height:

Between 0.800 inches and 0.900 inches

Maximum Operating Temp:

90.0 degrees celsius

Winding Quantity:

2 single component

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

2 single group

Mounting Method:

Threaded hole single group

Rating Method:

Electrical single component all winding

Thread Size:

0.112 inches single group

Winding Operating Current:

7.0 amperes dc single component all winding

Dc Resistance Rating In Ohms:

0.050 single component all winding

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

4 wire lead

Shelf Life:

N/a

Unit Of Measure:

NSN 5950-01-331-7004

Reactor - Page 2 of 2

Demilitarization:

No

Fiig:

A058b0

