

View Online at <https://aerobasegroup.com/nsn/5950-01-332-2665>

Reliability Indicator:

Not established

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Three phase to three phase single component

Transformer Winding Connection Type:

Wye-delta-wye

Maximum Transformer Power Rating:

3.5 kilovolt-ampere single component

Winding Shielding Method:

Internal shield brought out to terminal single component

Body Width:

Between 3.780 inches and 3.820 inches

Body Height:

4.050 inches

Maximum Operating Temp:

120.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

10 2nd group

Mounting Method:

Threaded hole all groupings

Winding Function And Quantity:

1 primary single component and 2 secondary single component

Thread Size:

0.164 inches 2nd group

Winding Operating Current:

62.5 amperes ac single component all secondary

Winding Power Rating:

1.712 kilovolt-amperes single component 1st secondary

Winding Operating Voltage:

27.40 ac volts single component 1st secondary

Thread Series Designator:

Unc all groupings

Terminal Type And Quantity:

10 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0