NSN 5950-01-333-0123

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-333-0123

Reliability	Indicator:
-------------	------------

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.240 inches single mounting facility single center group and 3.260 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.490 inches single mounting facility single center group and 2.510 inches single mounting facility single center group

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Three phase to three phase single component

Transformer Winding Connection Type:

Wye-delta

Winding Shielding Method:

Internal shield grounded to inclosure and core single component

Body Length:

3.800 inches

Body Width:

3.060 inches

Body Height:

2.000 inches

Maximum Operating Temp:

100.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Features Provided:

W/rectifier

Thread Size:

0.164 inches single group

Winding Operating Current:

21.0 amperes dc single component single secondary

Winding Operating Voltage:

29.00 dc volts single component single secondary and 29.58 dc volts single component single secondary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

7 turret

NSN 5950-01-333-0123

Power Transformer - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0