NSN 5950-01-333-4923

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-333-4923

Reliability Indicator:
Not established
Overall Length:
1.275 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.000 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
0.190 inches single mounting facility single center group
Overall Height:
0.730 inches
Overall Width:
0.440 inches
Inductance Type:
Fixed
Inductance Rating:
4.50 microhenries single component single winding
Frequency Rating:
10.0 kilohertz single component
Maximum Operating Temp:
130.0 degrees celsius
Winding Quantity:
1 single component
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
2 single group
Mounting Method:
Threaded hole single group
Rating Method:
Electrical single component single winding
Thread Size:
0.112 inches single group
Winding Operating Current:
15.0 amperes dc single component single winding
Dc Resistance Rating In Ohms:
0.0035 single component single winding
Test Data Document:
33604-2-18987 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.,
excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Thread Series Designator:
Unc single group

2 turret

Terminal Type And Quantity:

NSN 5950-01-333-4923

Reactor - Page 2 of 2



he			

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0