

View Online at <https://aerobasegroup.com/nsn/5950-01-336-2971>

Reliability Indicator:

Not established

Overall Length:

18.000 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

8.440 inches single mounting facility single center group and 8.560 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

6.640 inches single mounting facility single center group and 6.760 inches single mounting facility single center group

Overall Height:

16.000 inches

Overall Width:

9.000 inches

Mounting Hole Diameter:

0.560 inches single group

Frequency Rating:

47.0 hertz single component or 63.0 hertz single component

Input-output Phase Relationship:

Three phase to three phase single component

Transformer Winding Connection Type:

Delta-delta and delta-wye

Maximum Transformer Power Rating:

10.0 kilovolt-ampere single component

Winding Shielding Method:

Internal shield brought out to terminal single component

Inclosure Type:

Open

Mounting Facility Quantity:

4 single group

Mounting Method:

Unthreaded hole single group

Winding Function And Quantity:

1 primary single component and 2 secondary single component

Winding Operating Current:

4.0 amperes ac single component all primary

Winding Operating Voltage:

208.00 ac volts single component single primary or 240.00 ac volts single component single primary or 480.00 ac volts single component single primary

Terminal Type And Quantity:

26 solder stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0