# NSN 5950-01-336-5457

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-336-5457

# **Reliability Indicator:**

Not established

## **Overall Length:**

2.690 inches

## Center To Center Distance Between Mounting Facilities Parallel To Length:

2.000 inches single mounting facility single center group

### Center To Center Distance Between Mounting Facilities Parallel To Width:

1.630 inches single mounting facility single center group

#### **Overall Height:**

3.875 inches

#### **Overall Width:**

2.250 inches

#### **Frequency Rating:**

60.0 hertz single component

#### Input-output Phase Relationship:

Single phase to single phase single component

#### Maximum Transformer Power Rating:

40.0 volt-ampere single component

#### Maximum Operating Temp:

130.0 degrees celsius

# Inclosure Type:

Fully enclosed

#### Mounting Facility Quantity:

4 single group

#### **Mounting Method:**

Threaded hole single group

#### Winding Function And Quantity:

1 primary single component and 1 secondary single component

### Thread Size:

0.164 inches single group

#### Winding Operating Current:

8.0 amperes ac single component single secondary

### Winding Operating Voltage:

5.00 ac volts single component single secondary

#### Test Data Document:

81349-mil-t-27 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

#### **Thread Series Designator:**

Unc single group

## **Terminal Type And Quantity:**

5 wire hook

#### **Specification Data:**

81349-mil-t-27/317 government specification

# NSN 5950-01-336-5457

Power Transformer - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0

