NSN 5950-01-337-5546

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-337-5546

Reliability Indicator:
Not established
Overall Length:
2.700 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
2.060 inches single mounting facility single center group and 2.120 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.312 inches single mounting facility single center group
Overall Height:
1.360 inches
Overall Width:
1.710 inches
Mounting Slot Width:
0.170 inches single group
Frequency Rating:
50.0 kilohertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Maximum Operating Temp:
130.0 degrees celsius
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
4 single group
Mounting Method:
Slot single group
Winding Function And Quantity:
1 primary single component and 1 secondary single component
Winding Operating Current:
30.0 amperes ac single component single secondary
Winding Power Rating:
270.0 volts-amperes single component single secondary
Winding Operating Voltage:
9.00 ac volts single component single secondary
Test Data Document:
19623-007439 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.
excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Terminal Type And Quantity:
6 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:

-

NSN 5950-01-337-5546

Power Transformer - Page 2 of 2



Demilitarization:

No

Fiig:

A058b0