NSN 5950-01-337-6426

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-337-6426

Reliability Indicator:
Not established
Overall Length:
2.700 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
2.178 inches single mounting facility single center group and 2.198 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.740 inches single mounting facility single center group and 1.760 inches single mounting facility single center group
Overall Height:
2.100 inches
Overall Width:
2.260 inches
Mounting Hole Diameter:
0.144 inches single group
Frequency Rating:
50.0 hertz single component and 400.0 hertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Winding Shielding Method:
Internally shielded single component
Maximum Operating Temp:
130.0 degrees celsius
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
4 single group
Mounting Method:
Unthreaded hole single group
Winding Function And Quantity:
2 primary single component and 3 secondary single component
Winding Operating Current:
270.0 milliamperes dc single component 1st secondary
Winding Operating Voltage:
230.00 ac volts single component all primary
Terminal Type And Quantity:
12 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No

NSN 5950-01-337-6426

Power Transformer - Page 2 of 2



Fiig:

A058b0