NSN 5950-01-339-0330

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-339-0330

Reliability Indicator:					
Not established					
Hazardous Locations/environmental Protection:					
Fungus resistant and vibration resistant					
Overall Length:					
0.750 inches					
Turn Quantity:					
30 single component single winding					
Overall Height:					
0.750 inches					
Overall Width:					
0.450 inches					
Inductance Type:					
Fixed					
Inductance Rating:					
30.00 microhenries single component single winding					
Frequency Rating:					
15.8 kilohertz single component					
Maximum Operating Temp:					
155.0 degrees celsius					
Distance Between Mounting Facility Centers:					
0.250 inches single mounting facility single center group					
Winding Quantity:					
1 single component					
Inclosure Type:					
Fully enclosed					
Mounting Method:					
Terminal single group					
Rating Method:					
Electrical single component single winding and winding turns single component single winding					
Features Provided:					
Tinned wire leads					
Winding Conductor Size:					
0.02535 inches american wire gage single component single winding					
Winding Operating Current:					
4.0 amperes dc single component single winding					
Dc Resistance Rating In Ohms:					
0.033 single component single winding					
Terminal Type And Quantity:					
2 wire lead					
Shalf Life:					

N/a

NSN 5950-01-339-0330

Reactor - Page 2 of 2



		• •			
ш	ın	10	<i>(</i>)+	Measure:	

--

Demilitarization:

No

Fiig:

A058b0