

View Online at <https://aerobasegroup.com/nsn/5950-01-340-1296>

**Reliability Indicator:**

Not established

**Overall Length:**

4.452 inches

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

3.740 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

3.228 inches single mounting facility single center group

**Mounting Slot Width:**

0.236 inches single group

**Frequency Rating:**

48.0 hertz single component and 66.0 hertz single component

**Input-output Phase Relationship:**

Single phase to single phase single component

**Winding Shielding Method:**

Internal shield grounded to terminal single component

**Body Width:**

3.861 inches

**Body Height:**

4.137 inches

**Maximum Operating Temp:**

65.0 degrees celsius

**Inclosure Type:**

Open

**Mounting Facility Quantity:**

4 single group

**Mounting Method:**

Slot single group

**Winding Function And Quantity:**

2 primary single component and 3 secondary single component

**Winding Operating Current:**

500.0 milliamperes ac single component 3rd secondary

**Winding Power Rating:**

40.0 volts-amperes single component 1st secondary

**Winding Operating Voltage:**

31.20 ac volts single component 3rd secondary

**Special Features:**

A no. 22 awg wire lead is connected to the black/red wire lead of the second primary winding

**Terminal Type And Quantity:**

17 wire lead

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0