

View Online at <https://aerobasegroup.com/nsn/5950-01-340-1904>

Reliability Indicator:

Not established

Turn Quantity:

17 single component 1st secondary26 single component 2nd secondary8 single component single primary

Mounting Hole Diameter:

0.091 inches single group and 0.097 inches single group

Inductance Rating:

180.00 microhenries single component single primary

Frequency Rating:

100.0 kilohertz single component and 500.0 kilohertz single component

Coil Form Type:

Solid single component

Body Length:

Between 0.675 inches and 0.685 inches

Overall Diameter:

0.872 inches

Maximum Operating Temp:

155.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

1 single group

Mounting Method:

Unthreaded hole single group

Rating Method:

Electrical single component single primary and winding turns single component single primarywinding turns single component all secondary

Winding Function And Quantity:

1 primary single component and 2 secondary single component

Winding Conductor Size:

0.01003 inches american wire gage single component single primary0.01003 inches american wire gage single component all secondary

Test Data Document:

45413-142613 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Terminal Type And Quantity:

6 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0