

View Online at <https://aerobasegroup.com/nsn/5950-01-340-1904>

**Reliability Indicator:**

Not established

**Turn Quantity:**

17 single component 1st secondary26 single component 2nd secondary8 single component single primary

**Mounting Hole Diameter:**

0.091 inches single group and 0.097 inches single group

**Inductance Rating:**

180.00 microhenries single component single primary

**Frequency Rating:**

100.0 kilohertz single component and 500.0 kilohertz single component

**Coil Form Type:**

Solid single component

**Body Length:**

Between 0.675 inches and 0.685 inches

**Overall Diameter:**

0.872 inches

**Maximum Operating Temp:**

155.0 degrees celsius

**Inclosure Type:**

Fully enclosed

**Mounting Facility Quantity:**

1 single group

**Mounting Method:**

Unthreaded hole single group

**Rating Method:**

Electrical single component single primary and winding turns single component single primarywinding turns single component all secondary

**Winding Function And Quantity:**

1 primary single component and 2 secondary single component

**Winding Conductor Size:**

0.01003 inches american wire gage single component single primary0.01003 inches american wire gage single component all secondary

**Test Data Document:**

45413-142613 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

**Terminal Type And Quantity:**

6 wire lead

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0