

View Online at <https://aerobasegroup.com/nsn/5950-01-340-2163>

**Reliability Indicator:**

Not established

**Hazardous Locations/environmental Protection:**

Fungus resistant and moisture resistant

**Overall Length:**

3.750 inches

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

3.125 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

2.500 inches single mounting facility single center group

**Frequency Rating:**

47.0 hertz single component and 420.0 hertz single component

**Input-output Phase Relationship:**

Single phase to single phase single component

**Winding Shielding Method:**

Internal shield brought out to terminal single component

**Body Width:**

4.620 inches

**Body Height:**

3.120 inches

**Inclosure Type:**

Open

**Mounting Facility Quantity:**

4 single group

**Mounting Method:**

Threaded stud single group

**Winding Function And Quantity:**

2 primary single component and 7 secondary single component

**Features Provided:**

Color coded lead

**Thread Size:**

0.190 inches single group

**Winding Operating Current:**

300.0 milliamperes ac single component 4th secondary

**Winding Power Rating:**

63.0 volts-amperes single component 4th secondary

**Winding Operating Voltage:**

6.30 ac volts single component 3rd secondary

**Special Features:**

2 primary windings; 7 secondary windings; internal shield grouped with secondary terminals

**Thread Series Designator:**

Unf single group

**Terminal Type And Quantity:**

23 wire lead

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0