
# NSN 5950-01-341-7365

Reactor - Page 1 of 1



## **Reliability Indicator:**

Not established

## Inductance Type:

Fixed

# Inductance Rating:

0.187 millihenries single component all winding

## **Frequency Rating:**

10.0 kilohertz single component

#### **Body Length:**

0.415 inches

#### **Overall Diameter:**

0.630 inches

## Maximum Operating Temp:

130.0 degrees celsius

#### Winding Quantity:

2 single component

#### Inclosure Type:

Fully enclosed

## **Mounting Method:**

Terminal single group

## **Rating Method:**

Electrical single component all winding

## Winding Operating Current:

1.52 amperes dc single component all winding

## Dc Resistance Rating In Ohms:

0.187 single component all winding

## **Test Data Document:**

81349-mil-t-27 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## Terminal Type And Quantity:

4 wire lead

#### **Specification Data:**

81349-mil-t-27/356 government specification

#### Shelf Life:

N/a

## Unit Of Measure:

---

## Demilitarization:

No

## Fiig:

A058b0

