## NSN 5950-01-342-3942

Radio Frequency Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-342-3942 **Reliability Indicator:** Not established **Hazardous Locations/environmental Protection:** Vibration resistant **Turn Quantity:** 27 single component single primary **Mounting Hole Diameter:** 0.122 inches single group **Coil Form Type:** Solid single component **Body Length:** 0.334 inches **Body Outside Diameter:** 0.570 inches **Maximum Operating Temp:** 130.0 degrees celsius **Inclosure Type:** Open **Mounting Facility Quantity:** 1 single group **Mounting Method:** Terminal single group and unthreaded hole single group **Rating Method:** Winding turns single component single secondary **Winding Function And Quantity:** 1 primary single component and 1 secondary single component **Features Provided:** Tinned wire leads **Winding Conductor Size:** 0.01264 inches american wire gage single component single secondary **Special Features:** Terminals 4 and 5 are twisted together **Test Data Document:** 57045-d6003274 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) **Terminal Type And Quantity:** 5 wire lead Shelf Life: N/a **Unit Of Measure:** 

No

Demilitarization:

## NSN 5950-01-342-3942

Radio Frequency Transformer - Page 2 of 2



Fiig:

A058b0