## NSN 5950-01-343-0851

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-343-0851
Reliability Indicator:
Not established
Hazardous Locations/environmental Protection:
Corrosion resistant
Overall Length:
3.250 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
2.500 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
2.250 inches single mounting facility single center group
Overall Height:
3.375 inches
Overall Width:
2.812 inches
Mounting Slot Width:
0.169 inches single group
Frequency Rating:
60.0 hertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
4 single group
Mounting Method:
Bracket single group and slot single group
Winding Function And Quantity:
1 primary single component and 3 secondary single component
Winding Operating Current:
3.0 amperes ac single component 2nd secondary
Winding Power Rating:
57.0 volts-amperes single component 2nd secondary
Winding Operating Voltage:
38.00 ac volts single component 3rd secondary
Terminal Type And Quantity:
12 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:
<del></del>
Demilitarization:

No

## NSN 5950-01-343-0851

Power Transformer - Page 2 of 2



Fiig:

A058b0