

View Online at <https://aerobasegroup.com/nsn/5950-01-344-9040>

Reliability Indicator:

Not established

Hazardous Locations/environmental Protection:

Vibration resistant and fungus resistant

Turn Quantity:

20 single component 1st secondary

Inductance Rating:

9.95 millihenries single component 2nd secondary

Frequency Rating:

100.0 kilohertz single component

Winding Shielding Method:

Core grounded to secondary terminal single component

Body Length:

0.800 inches

Overall Diameter:

1.900 inches

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

1 single group

Mounting Method:

Threaded hole single group

Rating Method:

Electrical single component single primary and winding turns single component single primary

Winding Function And Quantity:

1 primary single component and 3 secondary single component

Thread Size:

0.138 inches single group

Winding Conductor Size:

0.03196 inches american wire gage single component single primary

Special Features:

Terminals 11, 18, and 9 are core grounded

Test Data Document:

09344-pc76334 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

12 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0