NSN 5950-01-345-1041

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-345-1041
Reliability Indicator:
Not established
Hazardous Locations/environmental Protection:
Moisture resistant and vibration resistant
Overall Length:
0.870 inches
Overall Width:
0.870 inches
nductance Type:
Fixed
nductance Rating:
20.00 microhenries single component single winding
Frequency Rating:
20.0 kilohertz single component
Body Height:
0.550 inches
Maximum Operating Temp:
130.0 degrees celsius
Winding Quantity:
1 single component
nclosure Type:
Fully enclosed
Mounting Method:
Terminal single group
Rating Method:
Electrical single component single winding
Winding Conductor Size:
0.04030 inches american wire gage single component single winding
Winding Operating Current:
3.0 amperes dc single component single winding
Dc Resistance Rating In Ohms:
0.060 single component single winding
Special Features:
Terminals split for dual connection
Test Data Document:
37695-325518 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.
excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Terminal Type And Quantity:
2 pin
Shelf Life:
N/a
Unit Of Measure:

NSN 5950-01-345-1041

Reactor - Page 2 of 2



em			

No

Fiig:

A058b0