## NSN 5950-01-345-1043

Reactor - Page 1 of 2

N/a



view Online at https://aerobasegroup.com/nsn/5950-01-345-1043
Reliability Indicator:
Not established
Overall Length:
2.300 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.950 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.200 inches single mounting facility single center group
Overall Height:
1.540 inches
Overall Width:
1.540 inches
Mounting Hole Diameter:
0.164 inches single group
Inductance Type:
Fixed
Inductance Rating:
200.00 microhenries single component all winding
Frequency Rating:
20.0 kilohertz single component
Maximum Operating Temp:
130.0 degrees celsius
Winding Quantity:
2 single component
Inclosure Type:
Hermetically sealed
Mounting Facility Quantity:
4 single group
Mounting Method:
Bracket single group and unthreaded hole single group
Rating Method:
Electrical single component all winding
Winding Operating Current:
3.6 amperes dc single component all winding
Dc Resistance Rating In Ohms:
0.070 single component all winding
Test Data Document:
37695-325509 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.
excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Terminal Type And Quantity:
4 wire hook
Shelf Life:

## NSN 5950-01-345-1043

Reactor - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

No

Fiig:

A058b0