

View Online at <https://aerobasegroup.com/nsn/5950-01-345-1452>

Reliability Indicator:

Not established

Overall Length:

Between 0.280 inches and 0.320 inches

Inductance Rating:

15.00 millihenries single component single winding and 16.50 millihenries single component single winding

Coil Form Type:

Solid single component

Core Construction:

Solid single component

Overall Diameter:

Between 0.370 inches and 0.430 inches

Maximum Operating Temp:

105.0 degrees celsius

Distance Between Mounting Facility Centers:

0.190 inches single mounting facility single center group and 0.210 inches single mounting facility single center group

Inclosure Type:

Fully enclosed

Mounting Method:

Terminal single group

Rating Method:

Electrical single component single winding

Features Provided:

Tinned wire leads

Winding Operating Current:

29.0 milliamperes dc single component single winding

Dc Resistance Rating In Ohms:

84.000 single component single winding

Quality Factor:

45 single component single winding

Test Data Document:

81349-mil-c-15305 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Terminal Type And Quantity:

2 wire lead

Specification Data:

96906-ms21402 government standard

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0