## NSN 5950-01-345-4184

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-345-4184

Reliability Indicator:
Not established
Overall Length:
3.750 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.750 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
2.250 inches single mounting facility single center group
Overall Height:
4.000 inches
Overall Width:
3.250 inches
Frequency Rating:
50.0 hertz single component and 400.0 hertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Winding Shielding Method:
Internal shield grounded to core and brought out to terminal single component
Maximum Operating Temp:
65.0 degrees celsius
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded hole single group
Winding Function And Quantity:
2 primary single component and 4 secondary single component
Features Provided:
Color coded lead
Thread Size:
0.164 inches single group
Winding Operating Current:
75.0 milliamperes ac single component 4th secondary
Winding Operating Voltage:
7.50 ac volts single component 4th secondary
Thread Series Designator:
Unc single group
Terminal Type And Quantity:
18 wire lead

N/a

Shelf Life:

## NSN 5950-01-345-4184

Power Transformer - Page 2 of 2



		eas	

--

Demilitarization:

No

Fiig:

A058b0