NSN 5950-01-347-1848

Reactor - Page 1 of 2

N/a



View Online at https://aerobasegroup.com/nsn/5950-01-347-1848
Reliability Indicator:
Not established
Turn Quantity:
12 single component single primary
Mounting Hole Diameter:
0.115 inches single group and 0.135 inches single group
Inductance Type:
Fixed
Inductance Rating:
9.70 microhenries single component single winding and 11.70 microhenries single component single winding
Frequency Rating:
1.0 kilohertz single component
Body Length:
0.300 inches
Overall Diameter:
0.650 inches
Maximum Operating Temp:
140.0 degrees celsius
Winding Quantity:
1 single component
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
1 single group
Mounting Method:
Unthreaded hole single group
Rating Method:
Electrical single component single winding and winding turns single component single winding
Features Provided:
Color coded lead
Winding Conductor Size:
0.02535 inches american wire gage single component single winding
Winding Operating Current:
5.0 amperes ac single component single winding
Dc Resistance Rating In Ohms:
0.022 single component single winding
Test Data Document:
99167-5905465 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.
excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Terminal Type And Quantity:
2 wire lead
Shelf Life:

NSN 5950-01-347-1848

Reactor - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

No

Fiig:

A058b0