

View Online at <https://aerobasegroup.com/nsn/5950-01-348-7211>

**Reliability Indicator:**

Not established

**Hazardous Locations/environmental Protection:**

Moisture resistant

**Overall Length:**

1.187 inches

**Frequency Rating:**

400.0 hertz single component or 1.6 kilohertz single component

**Input-output Phase Relationship:**

Single phase to single phase single component

**Winding Shielding Method:**

Internally shielded single component

**Overall Diameter:**

1.197 inches

**Maximum Operating Temp:**

155.0 degrees celsius

**Inclosure Type:**

Fully enclosed

**Mounting Method:**

Terminal single group

**Winding Function And Quantity:**

1 primary single component and 1 secondary single component

**Winding Operating Current:**

150.0 milliamperes ac single component single secondary

**Winding Power Rating:**

3.0 volts-amperes single component single secondary

**Winding Operating Voltage:**

23.00 ac volts single component single primary

**Test Data Document:**

70210-2707213 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

**Terminal Type And Quantity:**

5 pin

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0