

View Online at <https://aerobasegroup.com/nsn/5950-01-348-7902>

**Reliability Indicator:**

Not established

**Hazardous Locations/environmental Protection:**

Moisture resistant and fungus resistant and salt spray resistant and vibration resistant

**Frequency Rating:**

100.0 kilohertz single component

**Input-output Phase Relationship:**

Single phase to single phase single component

**Body Length:**

0.500 inches

**Overall Diameter:**

Between 0.740 inches and 0.760 inches

**Maximum Operating Temp:**

125.0 degrees celsius

**Inclosure Type:**

Fully enclosed

**Mounting Facility Quantity:**

1 single group

**Mounting Method:**

Threaded hole single group

**Winding Function And Quantity:**

1 primary single component and 1 secondary single component

**Thread Size:**

0.112 inches single group

**Winding Operating Current:**

75.0 milliamperes dc single component single secondary

**Winding Power Rating:**

5.7 volts-amperes single component single primary

**Winding Operating Voltage:**

60.00 dc volts single component single secondary

**Test Data Document:**

64547-805936 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

**Thread Series Designator:**

Unc single group

**Terminal Type And Quantity:**

4 wire lead

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A058b0