NSN 5950-01-351-1923

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-351-1923
Reliability Indicator:
Not established
Hazardous Locations/environmental Protection:
Vibration resistant
Overall Length:
0.700 inches
Turn Quantity:
21 single component single winding
Overall Width:
0.480 inches
Inductance Type:
Fixed
Inductance Rating:
15.00 microhenries single component single winding
Frequency Rating:
20.0 kilohertz single component
Body Height:
0.640 inches
Maximum Operating Temp:
105.0 degrees celsius
Winding Quantity:
1 single component
Inclosure Type:
Fully enclosed
Mounting Method:
Terminal single group
Rating Method:
Electrical single component single winding and winding turns single component single winding
Features Provided:
Tinned wire leads
Winding Conductor Size:
0.02535 inches american wire gage single component single winding
Winding Operating Current:
4.5 amperes dc single component single winding
Dc Resistance Rating In Ohms:
0.014 single component single winding
Test Data Document:
49956-g125737 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.
excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Terminal Type And Quantity:
2 wire lead
Shelf Life:

N/a

NSN 5950-01-351-1923

Reactor - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

No

Fiig:

A058b0