NSN 5950-01-351-2962

Current Transformer - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-01-351-2962

| Reliability Indicator: |
|---|
| Not established |
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 1.000 inches single mounting facility single center group |
| Center To Center Distance Between Mounting Facilities Parallel To Width: |
| 0.500 inches single mounting facility single center group |
| Frequency Rating: |
| 20.0 kilohertz single component |
| Input-output Phase Relationship: |
| Single phase to single phase single component |
| Body Length: |
| 1.125 inches |
| Body Width: |
| 1.400 inches |
| Body Height: |
| 1.000 inches |
| Inclosure Type: |
| Fully enclosed |
| Mounting Facility Quantity: |
| 4 single group |
| Mounting Method: |
| Threaded hole single group |
| Winding Function And Quantity: |
| 2 primary single component and 1 secondary single component |
| Thread Size: |
| 0.138 inches single group |
| Winding Operating Current: |
| 12.0 amperes ac single component all primary |
| Thread Series Designator: |
| Unc single group |
| Terminal Type And Quantity: |
| 6 screw |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A058b0 |