## NSN 5950-01-355-7134

Reactor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-01-355-7134

| Reliability Indicator:  |
|---|
| Not established   |
| Hazardous Locations/environmental Protection:   |
| Vibration resistant   |
| Overall Length:   |
| Between 0.085 inches and 0.895 inches   |
| Overall Width:  |
| Between 0.855 inches and 0.895 inches   |
| Mounting Hole Diameter:   |
| 0.115 inches single group and 0.130 inches single group $% \left( {{\left( {{{\left( {{{\left( {{1}} \right)} \right)}} \right)}} \right)} \right)$ |
| Inductance Type:  |
| Fixed   |
| Frequency Rating:   |
| 20.0 kilohertz single component   |
| Body Height:  |
| 0.740 inches  |
| Maximum Operating Temp:   |
| 95.0 degrees celsius  |
| Winding Quantity:   |
| 2 single component  |
| Inclosure Type:   |
| Fully enclosed  |
| Mounting Facility Quantity:   |
| 1 single group  |
| Mounting Method:  |
| Unthreaded hole single group  |
| Rating Method:  |
| Electrical single component all winding   |
| Terminal Type And Quantity:   |
| 6 wire lead   |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |
|   |
| Demilitarization:   |
| No  |
| Fiig:   |
| A058b0  |
|   |
|   |