NSN 5950-01-361-7016

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-361-7016

View Online at https://aerobasegroup.com/nsn/5950-01-361-7016	
Reliability Indicator:	
Not established	
Turn Quantity:	
215 single component 2nd winding	
Inductance Type:	
Fixed	
Inductance Rating:	
400.00 microhenries single component 3rd winding	
Frequency Rating:	
1.0 kilohertz single component	
Body Length:	
0.450 inches	
Body Outside Diameter:	
1.272 inches	
Maximum Operating Temp:	
130.0 degrees celsius	
Winding Quantity:	
3 single component	
Inclosure Type:	
Fully enclosed	
Mounting Facility Quantity:	
1 single group	
Mounting Method:	
Threaded hole single group	
Rating Method:	
Electrical single component all winding and winding turns single component all	winding
Features Provided:	
Tinned wire leads	
Thread Size:	
0.112 inches single group	
Winding Conductor Size:	
0.01790 inches american wire gage single component 1st winding	
Special Features:	
Nuclear hardness critical items	
Nuclear Hardness Critical Feature:	
Hardened	
Thread Series Designator:	
Unc single group	
Terminal Type And Quantity:	
6 wire lead	
Shelf Life:	
N/a	

NSN 5950-01-361-7016

Reactor - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

No

Fiig:

A058b0