NSN 5950-01-364-7801

Current Transformer - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-01-364-7801

| Reliability Indicator: |
|--|
| Not established |
| Center To Center Distance Between Mounting Facilities Parallel To Width: |
| 3.340 inches all mounting facilities all center groupings |
| Mounting Slot Width: |
| 0.250 inches all groupings |
| Frequency Rating: |
| 60.0 hertz single component and 400.0 hertz single component |
| Input-output Phase Relationship: |
| Single phase to single phase single component |
| Body Length: |
| 4.220 inches |
| Body Width: |
| 4.120 inches |
| Body Height: |
| 2.120 inches |
| Distance Between Mounting Facility Centers: |
| 1.750 inches 1st mounting facili type 1st center group |
| Inclosure Type: |
| Fully enclosed |
| Mounting Facility Quantity: |
| 4 all groupings |
| Mounting Method: |
| Slot all groupings |
| Winding Function And Quantity: |
| 1 primary single component and 1 secondary single component |
| Winding Operating Current: |
| 500.0 amperes ac single component single primary |
| Terminal Type And Quantity: |
| 2 threaded stud |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A058b0 |
| |