## NSN 5950-01-365-5966

Electrical Coil - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-01-365-5966

| Reliability Indicator:   |
|--|
| Not established  |
| Mounting Hole Diameter:  |
| 0.600 inches single group  |
| Inductance Rating:   |
| 25.00 microhenries single component 1st winding55.00 microhenries single component 2nd winding |
| Frequency Rating:  |
| 80.0 kilohertz single component  |
| Core Construction:   |
| S0lid single component   |
| Body Length:   |
| 0.600 inches   |
| Body Outside Diameter:   |
| 1.130 inches   |
| Maximum Operating Temp:  |
| 170.0 degrees celsius  |
| Winding Quantity:  |
| 2 single component   |
| Inclosure Type:  |
| Fully enclosed   |
| Mounting Facility Quantity:  |
| 1 single group   |
| Mounting Method:   |
| Unthreaded hole single group   |
| Rating Method:   |
| Electrical single component all winding  |
| Winding Operating Current:   |
| 5.2 amperes dc single component 1st winding180.0 milliamperes dc single component 2nd winding  |
| Dc Resistance Rating In Ohms:  |
| 0.010 single component 1st winding0.166 single component 2nd winding                           |
| Winding Operating Voltage:   |
| 11.52 ac pounds per hour wet single component all winding                                      |
| Terminal Type And Quantity:  |
| 2 wire lead  |
| Shelf Life:  |
| N/a  |
| Unit Of Measure:   |
|  |
| Demilitarization:  |
| No   |
| Fiig:  |
| A058b0   |