

View Online at <https://aerobasegroup.com/nsn/5950-01-366-6066>

**Reliability Indicator:**

Not established

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

1.688 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

0.938 inches single mounting facility single center group

**Frequency Rating:**

40.0 kilohertz single component

**Input-output Phase Relationship:**

Single phase to single phase single component

**Winding Shielding Method:**

Internal shield brought out to terminal single component

**Body Length:**

2.010 inches

**Body Width:**

1.320 inches

**Body Height:**

2.680 inches

**Maximum Operating Temp:**

170.0 degrees celsius

**Inclosure Type:**

Fully enclosed

**Mounting Facility Quantity:**

4 single group

**Mounting Method:**

Threaded hole single group

**Winding Function And Quantity:**

1 primary single component and 6 secondary single component

**Thread Size:**

0.112 inches single group

**Winding Operating Current:**

7.5 amperes dc single component 2nd secondary

**Winding Operating Voltage:**

25.80 dc volts single component 4th secondary

**Special Features:**

One primary winding and six secondary windings

**Thread Series Designator:**

Unc single group

**Terminal Type And Quantity:**

19 turret and 6 wire lead

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0