

View Online at <https://aerobasegroup.com/nsn/5950-01-366-6068>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.850 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.100 inches single mounting facility single center group

Frequency Rating:

25.0 kilohertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Winding Shielding Method:

Internal shield brought out to terminal single component

Body Length:

2.250 inches

Body Width:

1.930 inches

Body Height:

2.050 inches

Maximum Operating Temp:

130.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

2 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary single component and 5 secondary single component

Features Provided:

W/rectifier

Thread Size:

0.138 inches single group

Winding Operating Current:

1.0 amperes ac single component 1st secondary

Winding Operating Voltage:

127.26 ac volts single component single primary

Special Features:

One primary winding and five secondary windings

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

19 turret

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0